



32 Aybrook Street, London, W1U 4AW

First and second floor available - 3,287 to 6,574 sq ft. Currently F1 Educational Use.

Summary

| Tenure | To Let | | |
|----------------|--|--|--|
| Available Size | 3,287 to 6,574 sq ft / 305.37 to 610.74 sq m | | |
| Rent | £59.50 per sq ft | | |
| Service Charge | £8 per sq ft approx | | |
| Rates Payable | £18 per sq ft approx | | |
| EPC Rating | Upon enquiry | | |

Key Points

- F1 Use
- Excellent Natural Light
- Passenger Lifts
- Adjustable layout

- Air Conditioning
- Mix of Open Plan and Classrooms
- Reception

Description

First and second floor available for a sublease until September 2028. Currently F1 Use.

Location

Located on Aybrook Street, in the heart of Marylebone, just off Marylebone High Street. Transportation links are excellent, with Baker Street Underground Station for the Jubilee, Bakerloo, Hammersmith and City, Circle and Metropolitan lines less than a 10 minute walk away, and Marylebone Railway Station 15 minutes walk away.

Accommodation

The accommodation comprises the following areas:

| Name | sq ft | sq m | Availability |
|-------|-------|--------|--------------|
| 1st | 3,287 | 305.37 | Available |
| 2nd | 3,287 | 305.37 | Available |
| Total | 6,574 | 610.74 | |

Legal Costs

Each party to bear their own legal costs.







Viewing & Further Information



Mark Kleinman

+44 (0)20 7224 4436 | +44 (0)7831 350 200

mkleinman@jamesandrew.co.uk



Briony Murray

+44 (0)20 7224 4436 | +44 (0)7411 674 019 bam@jamesandrew.co.uk



Anton Grey

+44 (0)20 3141 6600 | +44 (0)7473 354 543 ahg@jamesandrew.co.uk



The above information contained within this email is sent subject to contract. These particulars are for general information only and do not constitute any part of an offer or contract. All statements contained therein are made without responsibility on the part of the vendors or lessors and are not to be relied upon as statement or representation of fact, Intending purchasers or lessees must satisfy themselves, by inspection, or otherwise, as to the correctness of each of the statements of dimensions contained in these particulars. Generated on 22/10/2025





